



# ПЛАЗМА-Т

производитель противопожарных систем

14 2024		
<u>1</u>	C « -2»	, -PL, , , -4.2, -4.2, -10.5, , , , -IP, -USB, , , , -D, -
<u>2</u>		, - , - , SmartDrive, SmartControl
<u>3</u>	300 -	300, 300 / , 300 / , 300 , 300 , 320, 302 , 322-24, 322-220, - 300, SmartFly- 300
<u>4</u>		, , , , , , , 300,
<u>5</u>		, , , - 300, - 300 DEK IP31/IP54
<u>6</u>		- , -PSL, SmartStation, -
<u>7</u>		-
<u>8</u>		Smart-PS, SmartFLy
<u>9</u>		SmartFLy ,

-2 :	
	( )
7%	500 000 .
	( )
3%	500 000 - 1 000 000 .
5%	1 000 000 - 2 500 000 .
7%	2 500 000 .

C		« -2»	
-			-
-5	5, , 10 , 5 ~250 /8 , 2 : ~220 /=12-24 , RS-485, 3 ( 111.10000000)	61 500	
-10	10, , 20 , ~250 /8 , 2 : ~220 /=12-24 , RS-485, 3 ( 111.20000000)	73 620	
-PL	PL, -5/ -10, 20 10 ( 2- -10.5 5- -4.2), ,2 : ~220 /=12-24 , RS-485, 3 ( 111.30000000)		
	, 10 5- 12-24 , , =12-24 ( 111.40000000)	24 468	
	( , - 20 10 5 10 ) 12-24 , =12-24 ( 111.04000000)	19 944	
-10.5	10.5 -PL, 10 5- =12-24 / ~220 /8 ( : « »). 2- -10.5 -PL ( 111.03000000)		
-Pro	Pro, , 9 , 5 -USB, 2 : ~220 /=12-24 , RS-485, ' " ( 112.10000000)	59 856	
-Light	Light, -Pro, -5, -10, -PL, -USB, 2 : =12-24 /=12-24 ( 112.01000000)	23 424	
-Pro	Pro, 60 , : ~220 /=12-24 ( 112.20000000) -USB, Touch Memory®, 2	45 588	
-Light	Light, 60 , : =12-24 /=12-24 ( 112.02000000) -5, -10, -PL, Touch Memory®, 2	23 112	
	, , 380 , ( 114.20000000)	12 756	
	, ( ) ( 114.10000000)	14 076	
	, -2 (USB - RS-485) (RS-232 - RS-485). 4- USB, RS-232, RS-485 -2 ( 113.10000000)	15 120	
-IP	IP, -2 Ethernet. 4- -IP -2 32- -IP 5 ( 113.20000000)	19 044	
-USB	USB, -2 USB. 4- -USB -2 ( 113.30000000)	10 488	
	32- -2, -IP -USB -2, , -IP -USB	<a href="#">бесплатно на сайте</a>	

-			-
-1	-1, , 1 , ( ) 3 , ( 114.41000000)	10 176	
-2	( 114.42000000) -2, -1, 2	12 060	
-3	( 114.43000000) -3, -1, 3	13 452	
-D	-D 3 , ( ) 3 , , 3- ( 114.30000000) , -2	19 200	
-D	-D, ( 114.03000000) , 3-	9 252	



" -2"		
	<p style="text-align: right;">-PL</p> <p>" -2" : ,</p> <p>) ; / ( ,</p> <p>• с ;</p> <p>• ( . ):</p> <p>, , , , , , , ,</p> <p>( )</p>	
-	<p>с -</p> <p>: 7,5 ,</p>	
-	<p>.</p>	

[скачать](#)

, +		
SmartControl	<p>SmartControl</p> <p>-</p>	
SmartDrive	<p>SmartDrive</p> <p>, - -</p>	

[скачать](#)



300						
300	255 300 24 / =12-24 ,	300, RS-485 ( 111.60000000)	255 3 300, : =12-	14 472		
300	300),	( 121.10000000)	300 ( 212-	2 148		
300	300 ) , ( 121.11000000)	300 ,	300 ( 212-	2 256		
300	300 ( 101- 300- 1R),	( 121.20000000)	-	1 908		
300	300 ( 101- 300 - 1R),	( 121.22000000)	300 ,	1 980		
300	300, ( 121.00000000)	2,5 ,	300,	564		
300-	300	300-		960	NEW	
300-	300 C300 ( )	IP43	300 ( )	IP23	1 620	NEW
300		300 ( 513- 300),	( 121.31000000)	2 508		
- 300	, IP65, 6 12 ,	120 160 92	300 ( 513- 300)	6 672		
300	«	»( 121.32000000) / .02 «	: .01 »( 121.33000000)	2 568		
- 300	, IP65, 6 12 ,	120 160 92 ,	300 : .01 «	» / .02	6 672	
302	2- » (~240 /0,25A),	302 , 300 ( 121.01010000)	« 2 ,	3 612		
320	2- 300 ( 121.01000000)	320, 2 ,	«	» ,	3 132	
322	, 5	4- «	322, »), =12-24 , =12-24 ( 121.01020000)	4 5 568		

322-24	4- =24 322-24, ( , « »); =12 24 , , 8 24 , 2 , =12- ( 121.01030000)	10 416	
322-220	4- ~220 322-220, ( , « »); ~220 , 8 ( 121.01040000)	8 544	
300-	, IP65. 4 4-8 . 320	1 368	
300-	, IP65. 10 4-8 . 300, 302 , 322, 322-24, 322-220	2 100	
300 60	300 ). - 300 ( 212- 60	16 092	NEW
300 80	300 ). - 300 ( 212- 80	19 560	NEW
300 100	300 ). - 300 ( 212- 100	22 920	NEW
300 120	300 ). - 300 ( 212- 120	29 880	NEW
300-	300	9 960	NEW
300-	212- 300 300- .	2 520	NEW
300- 4	300- 4 4	6 720	NEW
300- 4	4 300- 4. 300-	2 520	NEW
300-	300- . 300 .	11 520	NEW
OC300C	500 , 1 , 180 , 300 , 90 , - , , , 1 , ,	6 024	
300	1 , 300 , , , , !, !, !, !, !	4 200	
300 /IP	500 , 1 , 180 , 300 /IP, 90 , - , , , , IP65	11 628	
- 2400/ 300	-2400/ 300, 24 , 2,5 , 2 12 , ( 423.1 000000)	23 412	
- 2400 7/ 300	-2400 7/ 300, 24 , 4,5 , 2 12 , ( 423.2 000000)	28 812	

- 2400 7/ 300 . 5000	-2400 7/ 300 .5000, 24 , 4,5 , 2 40 , 320 ( 423.3 000000)	30 900	
	( 121.01300000) ( , ) 322-24	600	
SmartFly- 300	SmartFly- 300 D 50 200 (250, 300 ) , 320 ( 412.1 000000)	6 600	
SmartPS-10-1- C300	SmartPS-10-1 c 0,4 1,0 ( 411.101 0000)	8 640	
SmartPS-140-1- C300	SmartPS-140-1 c 1,5 14 ( 411.1401 000)	8 292	
SmartPS-160-1- C300	SmartPS-160-1 c 2 16 ( 411.1601 000)	8 364	
300	300 / - 8 , ,	17 400	

[←](#)

	( 413.10000000)	4 464	
« »	100 ) 60 , IP53 ( 424.11000000) « » ( 6 30	510	
« »	( 100 ) 60 , IP53 ( 424.12000000) « » ( 6 30	510	
-01	-01 ( ) ( 424.20000000) , 300	180	
-20/4	" -20/4" ( 424.31000000) , 2 220 24 24	552	
-20/5	" -20/5" ( 424.32000000) , 1 220 24 24	432	
2400 7	2400 7, 24 4,5 ( 423.20000000) 2 12	18 132	
2400 7 5000	2400 7 5000, , 24 , 4 ( 423.30000000)	19 632	
1200	1200 , 12 , 1 , ( 423.10000000) 1 7 ,	3 216	
12 /7	DELTA DT 1207 12 ,7 ( 421.70000000)	1 536	
12 /40	DELTA DT 1240 12 ,40 ( 421.40000000)	11 064	
- -6	6 , IEK, IP41 ( ) ( 422.10000000)	1 056	
- -6	6 , IEK, IP41 ( ) ( 422.20000000)	1 056	
- -12	12 , IEK, IP41 ( ) ( 422.30000000)	1 428	
- -12	12 , IEK, IP41 ( ) ( 422.40000000)	1 428	
SCUC300	300 ( 425.10000000)	4 092	
SCU320	, 2 1.7-3.2 ( 425.20000000)	7 356	
ST-ER100SM	ST-ER100SM , , IP54, 195 118 73	2 760	





/		
	<p>), ~380 4 / ( ~220 2</p> <p>24</p> <p>IP31/IP54</p>	
	<p>/</p> <p>:</p> <p>;</p> <p>;</p> <p>( ).</p> <p>( )</p> <p>" "</p> <p>24 /220 . 24 .</p> <p>5.11. 6.13130.</p> <p>0,37 - 45</p> <p>IP31/IP54</p>	
	<p>/</p> <p>:</p> <p>;</p> <p>.</p> <p>24 /220 . 24 .</p> <p>IP31/IP54</p>	<a href="#">скачать</a>

- 300 - 300		300
- 300	<p>/</p> <p>24. - 300 322-</p> <p>- 300 ;</p> <p>- 300 ;</p> <p>- 300 ( ).</p> <p>( )</p> <p>5.11. 6.13130.</p> <p>0,37 - 45</p> <p>IP31/IP54</p>	
- 300	<p>), ~380 4 / ( ~220 2</p> <p>322-24,</p> <p>IP31/IP54</p>	<a href="#">скачать</a>

[←](#)

-	<p style="text-align: center;">-</p> <p style="text-align: right;">CNP, Wilo,</p> <p>« » , -2.</p>	
-PSL	-PSL	
SmartStation	<p style="text-align: center;">SmartStation</p> <p style="text-align: right;">CNP, Wilo, « »</p>	
-	-	
		<a href="#">скачать</a>

-	<p style="text-align: center;">-</p> <p style="text-align: center;">( )</p>	
-	-	
		<a href="#">скачать</a>

[←](#)

SmartFly	D 50 200 (250, 300 ( 412.10000000))	SmartFly ) 2 ,		5 016	
SmartPS-10-1	0,4 1,0 ( 411.10100000)	SmartPS-10-1 с		6 540	
SmartPS-10-2	0,4 1,0 ( 411.10200000)	SmartPS-10-2 с		7 956	
SmartPS-140-1	1,5 14 ( 411.14010000)	SmartPS-140-1 с		6 336	
SmartPS-140-2	1,5 14 ( 411.14020000)	SmartPS-140-2 с		7 536	
SmartPS-160-1	2 16 ( 411.16010000)	SmartPS-160-1 с		6 480	
SmartPS-160-2	2 16 ( 411.16020000)	SmartPS-160-2 с		7 332	
<a href="#">Адресные сигнализаторы</a>		(SmartFly-C300) " - (SmartPS-C300) 300"			
<a href="#">акция</a>		" SmartFly® SmartFly-C300"			

[←](#)

SmartFly®			
+ SmartFly, 32	( . . . ), 32)( 412.20000000)	-FL(W)-3-032-MN-E + SmartFly	8 172
+ SmartFly, 40	( . . . ), 40)( 412.20000000)	-FL(W)-3-040-MN-E + SmartFly	8 172
+ SmartFly, 50	( . . . ), 50)( 412.20000000)	-FL(W)-3-050-MN-E + SmartFly	8 628
+ SmartFly, 65	( . . . ), 65)( 412.20000000)	-FL(W)-3-065-MN-E + SmartFly	9 084
+ SmartFly, 80	( . . . ), 80)( 412.20000000)	-FL(W)-3-080-MN-E + SmartFly	9 468
+ SmartFly, 100	( . . . ), 100)( 412.20000000)	-FL(W)-3-100-MN-E + SmartFly	10 548
+ SmartFly, 125	( . . . ), 125)( 412.20000000)	-FL(W)-3-125-MN-E + SmartFly	12 828
+ SmartFly, 150	( . . . ), 150)( 412.20000000)	-FL(W)-3-150-MN-E + SmartFly	14 100
+ SmartFly, 200	( . . . ), 200)( 412.20000000)	-FL(W)-3-200-MR-E + SmartFly	23 952

[↑](#)

[←](#)

SmartFly®- 300			
SmartFly-300, 32	( . . . ) , 32)( 412.3 000000)	-FL(W)-3-032-MN-E + SmartFly- 300	9 432
SmartFly-300, 40	( . . . ) , 40)( 412.3 000000)	-FL(W)-3-040-MN-E + SmartFly- 300	9 432
SmartFly-300, 50	( . . . ) , 50)( 412.3 000000)	-FL(W)-3-050-MN-E + SmartFly- 300	9 888
SmartFly-300, 65	( . . . ) , 65)( 412.3 000000)	-FL(W)-3-065-MN-E + SmartFly- 300	10 344
SmartFly-300, 80	( . . . ) , 80)( 412.3 000000)	-FL(W)-3-080-MN-E + SmartFly- 300	10 728
SmartFly-300, 100	( . . . ) , 100)( 412.3 000000)	-FL(W)-3-100-MN-E + SmartFly- 300	11 820
SmartFly-300, 125	( . . . ) , 125)( 412.3 000000)	-FL(W)-3-125-MN-E + SmartFly- 300	14 100
SmartFly-300, 150	( . . . ) , 150)( 412.3 000000)	-FL(W)-3-150-MN-E + SmartFly- 300	15 360
SmartFly-300, 200	( . . . ) , 200)( 412.3 000000)	-FL(W)-3-200-MR-E + SmartFly- 300	25 224

↑

←

SmartFly®			
Sphere + SmartFly, 25	FM + SmartFly ( Sphere BV-03/T, . . . . . )	, 25 (1"), P = 40 , , 25 ( 412.30000000)	5 724
Sphere + SmartFly, 32	FM + SmartFly ( Sphere BV-03/T, . . . . . )	, 32 (1 1/4"), P = 40 , 32 ( 412.30000000)	6 456
Sphere + SmartFly, 40	FM + SmartFly ( Sphere BV-03/T, . . . . . )	, 40 (1 1/2"), P = 40 , 40 ( 412.30000000)	7 824
SmartFly®- 300			
Sphere + SmartFly-300, 25	FM + SmartFly- 300 ( Sphere BV-03/T, . . . . . )	, 25 (1"), P = 40 , , 25 ( 412.4 000000)	6 960
Sphere + SmartFly-300, 32	FM + SmartFly- 300 ( Sphere BV-03/T, . . . . . )	, 32 (1 1/4"), P = 40 , 32 ( 412.4 000000)	7 692
Sphere + SmartFly-300, 40	FM + SmartFly- 300 ( Sphere BV-03/T, . . . . . )	, 40 (1 1/2"), P = 40 , 40 ( 412.4 000000)	9 060

[↑](#)

[←](#)